BIBLIOGRAPHY

1. Arora N, Vadrevu R, et al (2012), Low tuberculosis knowledge among HIV-infected patients in a high HIV prevalence region within southeast India, pp 84-9.

2. Balasangameshwara V H, Jagota et al (1996), Persistant chest sympotoms in smear positive pulmonary tuberculosis patients with standard and short course chemotherapy regimen under DTP, Indian Journal of Tuberculosis, pp143-150.

3. Division ministry of health and family welfare (2006), pp 1-8.

4. Dholakia R, (1996), The potential economic benefits of the DOTSstrateg against TB in India, WHO/TB, pp 96-218

5. Gnana.KLatha (2005), A study to evaluate the effectiveness of structured teaching programme on knowledge regarding pulmonary tuberculosis and its management among clients with pulmonary tuberculosis in selected hospital at Bangalore.

6. Gupta and Rajesh Gupta, (2003), Association between Smoking and Tuberculosis, Indian Journal of Tuberculosis, pp 5-7.

7. Gururaj G, Irani M K, (2003), Suicide counteractive action : data for instructive organization : Department of the study of disease transmission, NIMHANS, pp 7-8.

8. Jacintha D Souza, (2003), Effects of health education on adherence to treatment in sputum positive pulmonary tuberculosis patients, Indian journal of tuberculosis, pp 50-33.

9. Joyce M .Black, Jane Hokanson Hawks Vol2, 7th edition, Elsevier, India Private Limited, pp1844-49.

10. Lewis collier, Heitkemper, Medical Surgical Nursing 4th edition., pp-633-41.

11. Maria de, Silvia Helena, et al (1998-2004), Poverty; socio-economic characterization at tuberculosis.

12. Mayleen Jack Ekiek (1993), Noncompliance to anti tuberculosis medication in pohnpei Micronesia, pacific health dialog, vol5., no1, pp 71.

13. Mittal C, Gupta S,(2007), Non-compliance to DOTS : How it can be Decreased, pp 27-30.

14. Nancy A.Knechel(2009), Tuberculosis pathophysiology Clinical features, and Deagnosis, Critical care Nurse. Vol29., No 2.

15. Park JE, Park K (2001), Text book of preventive and social medicine. 19th ed., Jabalpur: M/s BanarsidasBhanot.

16. Park K. (2011), Text book of preventive and social medicine, 21st ed., Jabalpur, M/s BanarasidasBhanot, pp 164-181.12

17. Phipps, (2009), Medical and Surgical Nursing, Health and illness perspective, Elseiver publications, NewYork.8 edition,pp 630-38.

18. Report of National Family Health Survey (1992-93), (NFHS-1), International Institute of population studies, Mumbai.

19. RNTCP status report, (2008), I am halting tuberculosis, Central tuberculosis division, pp1-20-50.

20. Rajeshwari R, Balasubramanian R (1999) Socio-economic impact of tuberculosis on patients and family in India, Int J tubera Lung Dis, pp 867-77.

21. Swamy RD, END line evaluation study under RNTCP Central Tuberculosis.

22. Tonsing 1, Ram T.Involvement of non-governmental organisations in the RNTCP J Indian Med Assoc, 2003, pp 167-8.

23. Tuberculosis Fact Sheet N “104”World Health Organization, member 200, Retrieved 26 july 2011.

24. Universal Journal ofTuberculosis Report

25. Veena William (2012), Psychosocial problems of pulmonary patients undergoing DOTS therapy, Nightingale Nursing Times, Vol8., No 4, pp 52-56.

26. WHO(1993), announces “DOTS PLUS STRAGERY” The Internatinal Journal of tuberculosis and Lung Desease, pp 2-11, vol-2., pp 867

27. WHO extended the DOTS programme (1998), include the treatement of MDR TB called “DOTS PLUS”.